

Package ‘seq2pathway.data’

April 6, 2022

Type Package

Title data set for R package seq2pathway

Version 1.26.0

Date 2021-04-02

Author Bin Wang <binw@uchicago.edu>

Maintainer Arjun Kinstlick <akinstlick@uchicago.edu>

Depends R (>= 3.6.2)

biocViews ExperimentData

Description Supporting data for the seq2pathway package. Includes modified gene sets from MsigDB and org.Hs.eg.db; gene locus definitions from GENCODE project.

License GPL (>= 2)

git_url <https://git.bioconductor.org/packages/seq2pathway.data>

git_branch RELEASE_3_14

git_last_commit ee7800a

git_last_commit_date 2021-10-26

Date/Publication 2022-04-06

R topics documented:

dat_gene2path_chip	2
dat_gene2path_RNA	3
dat_seq2pathway_GOterms	3
dat_seq2pathway_Msig	4
Des_BP_list	4
Des_CC_list	5
Des_MF_list	6
gencode_coding	6
gene_description	7
GO_BP_list	8
GO_CC_list	8

GO_GENCODE_df_hg_v19	9
GO_GENCODE_df_hg_v36	10
GO_GENCODE_df_mm_vM1	10
GO_GENCODE_df_mm_vM25	11
GO_MF_list	12
MsigDB_C5	12
Msig_GENCODE_df_hg_v19	13
Msig_GENCODE_df_hg_v36	13
Msig_GENCODE_df_mm_vM1	14
Msig_GENCODE_df_mm_vM25	15
Index	16

dat_gene2path_chip	<i>demo result of gene2pathway function from chip seq data</i>
--------------------	--

Description

demo result of gene2pathway function from chip seq data

Usage

data("dat_gene2path_chip")

Format

A list with 2 elements.

gene2pathway_result.2 a list of gene2pathway test result, with 3 data frames(3 GO terms)

gene2pathway_result.FET a list of fisher’s test result, with 3 data frames(3 GO terms)

Value

A list, with two sub lists. The name of one sub list is "gene2pathway_result.2", with 3 data frames of GO_BP, GO_MF, and GO_CC, another is "gene2pathway_result.FET", with 3 dara frames of GO_BP, GO_MF, and GO_CC.

dat_gene2path_RNA	<i>demo result of gene2pathway function from RNA seq data</i>
-------------------	---

Description

demo result of gene2pathway function from RNA seq data

Usage

```
data("dat_gene2path_RNA")
```

Format

A list with 2 elements.

gene2pathway_result.2 a data frame of gene2pathway test result

gene2pathway_result.FET a data frame of fisher's test result

Value

A list, with two elements. one element is a data frame about "gene2pathway_result.2", another data frame is about "gene2pathway_result.FET".

dat_seq2pathway_GOterms	<i>demo result of seq2pathway function from chip seq data</i>
-------------------------	---

Description

demo result of seq2pathway function from chip seq data

Usage

```
data("dat_seq2pathway_GOterms")
```

Format

A list with 3 elements.

seq2gene_result a list with 2 annotation table

gene2pathway_result.FAIME a list of gene2pathway test result, with 3 data frames(3 GO terms)

gene2pathway_result.FET a list of fisher's test result, with 3 data frames(3 GO terms)

Value

A list, with three sub lists. The name of first sub list is seq2gene_result, with 2 data frames of full and coding gene annotation respectively, the name of second sub list is "gene2pathway_result.FAIME", with 3 data frames of GO_BP, GO_MF, and GO_CC, the third is "gene2pathway_result.FET", with 3 data frames of GO_BP, GO_MF, and GO_CC.

dat_seq2pathway_Msig	<i>demo result of seq2pathway function from chip seq data</i>
----------------------	---

Description

demo result of seq2pathway function from chip seq data

Usage

```
data("dat_seq2pathway_Msig")
```

Format

A list with 3 elements.

seq2gene_result a list with 2 annotation table

gene2pathway_result.FAIME a data frame of gene2pathway test result by MsigDB C5 terms

gene2pathway_result.FET a data frame of fisher's test result by MsigDB C5 terms

Value

A list, with three elements. The name of first element is seq2gene_result, with 2 data frames of full and coding gene annotation respectively, the second element is a data frame of "gene2pathway_result.FAIME", the third is a data frame of "gene2pathway_result.FET".

Des_BP_list	<i>Description of GO term BP</i>
-------------	----------------------------------

Description

Description of GO term BP

Usage

```
data("Des_BP_list")
```

Format

A list, list names are Go term BP's IDs, list elements are GO term BP's description respectively.

Value

A list, list names are Go term BP's IDs, list elements are GO term BP's description respectively.

Source

Carlson M. org.Hs.eg.db: Genome wide annotation for Human. R package version 3.0.0.

Examples

```
data(Des_BP_list)
head(names(Des_BP_list))
head(Des_BP_list)
```

Des_CC_list	<i>Description of GO term CC</i>
-------------	----------------------------------

Description

Description of GO term CC

Usage

```
data("Des_CC_list")
```

Format

A list, list names are Go term CC's IDs, list elements are GO term CC's description respectively.

Value

A list, list names are Go term CC's IDs, list elements are GO term CC's description respectively.

Source

Carlson M. org.Hs.eg.db: Genome wide annotation for Human. R package version 3.0.0.

Examples

```
data(Des_CC_list)
head(names(Des_CC_list))
head(Des_CC_list)
```

Des_MF_list	<i>Description of GO term MF</i>
-------------	----------------------------------

Description

Description of GO term MF

Usage

```
data("Des_MF_list")
```

Format

A list, list names are Go term MF's IDs, list elements are GO term MF's description respectively.

Value

A list, list names are Go term MF's IDs, list elements are GO term MF's description respectively.

Source

Carlson M. org.Hs.eg.db: Genome wide annotation for Human. R package version 3.0.0.

Examples

```
data(Des_MF_list)
head(names(Des_MF_list))
head(Des_MF_list)
```

gencode_coding	<i>Coding gene list in GENCODE 20.</i>
----------------	--

Description

Coding gene list in GENCODE 20.

Usage

```
data("gencode_coding")
```

Format

A vector including all coding gene symbols in GENCODE version20.

Value

A character vector including all coding gene symbols in GENCODE version20.

Source

GENCODE 20

References

Harrow J, et al. (2012) GENCODE: The reference human genome annotation for The ENCODE Project

Examples

```
data(gencode_coding)
head(gencode_coding)
```

gene_description	<i>demo data of adding gene description</i>
------------------	---

Description

demo data of adding gene description

Usage

```
data("gene_description")
```

Format

A data frame with 561 observations on the following 2 variables.

hgnc_symbol a characteristic vector

description a characteristic vector

Value

A characteristic matrix of gene symbols and descriptions.

GO_BP_list	<i>Gene symbol list of GO term BP</i>
------------	---------------------------------------

Description

Gene symbol list of GO term BP

Usage

```
data("GO_BP_list")
```

Format

A list, list names are Go term BP's IDs, list elements are gene symbols in GO term BP.

Value

A list, list names are Go term BP's IDs, list elements are gene symbols in GO term BP.

Source

Carlson M. org.Hs.eg.db: Genome wide annotation for Human. R package version 3.0.0.

Examples

```
data(GO_BP_list)
head(GO_BP_list)
```

GO_CC_list	<i>Gene symbol list of GO term CC</i>
------------	---------------------------------------

Description

Gene symbol list of GO term CC

Usage

```
data("GO_CC_list")
```

Format

A list, list names are Go term CC's IDs, list elements are gene symbols in GO term CC.

Value

A list, list names are Go term CC's IDs, list elements are gene symbols in GO term CC.

Source

Carlson M. org.Hs.eg.db: Genome wide annotation for Human. R package version 3.0.0.

Examples

```
data(GO_CC_list)
head(GO_CC_list)
```

GO_GENCODE_df_hg_v19 *intersection genes of GO terms and GENCODE 19*

Description

intersection genes of GO terms and GENCODE 19

Usage

```
data("GO_GENCODE_df_hg_v19")
```

Format

A data frame.

Value

A data frame.

Source

Carlson M. org.Hs.eg.db: Genome wide annotation for Human. R package version 3.0.0.

References

Harrow J, et al. (2012) GENCODE: The reference human genome annotation for The ENCODE Project

Examples

```
data(GO_GENCODE_df_hg_v19)
head(GO_GENCODE_df_hg_v19)
```

GO_GENCODE_df_hg_v36 *intersection genes of GO terms and GENCODE 36*

Description

intersection genes of GO terms and GENCODE 36

Usage

```
data("GO_GENCODE_df_hg_v36")
```

Format

A data frame.

Value

A data frame.

Source

Carlson M. org.Hs.eg.db: Genome wide annotation for Human. R package version 3.0.0.

References

Harrow J, et al. (2012) GENCODE: The reference human genome annotation for The ENCODE Project

Examples

```
data(GO_GENCODE_df_hg_v36)
head(GO_GENCODE_df_hg_v36)
```

GO_GENCODE_df_mm_vM1 *intersection genes of GO terms and GENCODE vM1*

Description

intersection genes of GO terms and GENCODE vM1

Usage

```
data("GO_GENCODE_df_mm_vM1")
```

Format

A data frame.

Value

A data frame.

Source

Carlson M. org.Hs.eg.db: Genome wide annotation for Human. R package version 3.0.0.

References

Harrow J, et al. (2012) GENCODE: The reference human genome annotation for The ENCODE Project

Examples

```
data(GO_GENCODE_df_mm_vM1)
head(GO_GENCODE_df_mm_vM1)
```

GO_GENCODE_df_mm_vM25 *intersection genes of GO terms and GENCODE vM25*

Description

intersection genes of GO terms and GENCODE vM25 simply by gene symbol match

Usage

```
data("GO_GENCODE_df_mm_vM25")
```

Format

A data frame.

Value

A data frame.

Source

Carlson M. org.Hs.eg.db: Genome wide annotation for Human. R package version 3.0.0.

References

Harrow J, et al. (2012) GENCODE: The reference human genome annotation for The ENCODE Project

Examples

```
data(GO_GENCODE_df_mm_vM25)
head(GO_GENCODE_df_mm_vM25)
```

GO_MF_list	<i>Gene symbol list of GO term MF</i>
------------	---------------------------------------

Description

Gene symbol list of GO term MF

Usage

```
data("GO_MF_list")
```

Format

A list, list names are Go term MF's IDs, list elements are gene symbols in GO term MF.

Value

A list, list names are Go term MF's IDs, list elements are gene symbols in GO term MF.

Source

Carlson M. org.Hs.eg.db: Genome wide annotation for Human. R package version 3.0.0.

Examples

```
data(GO_MF_list)
head(GO_MF_list)
```

MsigDB_C5	<i>MsigDB data set</i>
-----------	------------------------

Description

.gsa format data

Usage

```
data("MsigDB_C5")
```

Format

A list with 3 sub lists.

```
genesets  a list of gene names
geneset.names  a list of geneset names
geneset.descriptions  a list of geneset descriptions
```

Value

A "GSA.genesets" object from GSA package.

Msig_GENCODE_df_hg_v19

intersection genes of MSigDB collection and GENCODE 19

Description

intersection genes of MSigDB collection and GENCODE 19

Usage

```
data("Msig_GENCODE_df_hg_v19")
```

Format

A data frame.

Value

A data frame.

References

Harrow J, et al. (2012) GENCODE: The reference human genome annotation for The ENCODE Project. Subramanian, Tamayo, et al. (2005, PNAS 102, 15545-15550).

Examples

```
data(Msig_GENCODE_df_hg_v19)
head(Msig_GENCODE_df_hg_v19)
```

Msig_GENCODE_df_hg_v36

intersection genes of MSigDB collection and GENCODE 36

Description

intersection genes of MSigDB collection and GENCODE 36

Usage

```
data("Msig_GENCODE_df_hg_v36")
```

Format

A data frame.

Value

A data frame.

References

Harrow J, et al. (2012) GENCODE: The reference human genome annotation for The ENCODE Project. Subramanian, Tamayo, et al. (2005, PNAS 102, 15545-15550).

Examples

```
data(Msig_GENCODE_df_hg_v36)
head(Msig_GENCODE_df)
```

Msig_GENCODE_df_mm_vM1

intersection genes of MSigDB collection and GENCODE vM1

Description

intersection genes of MSigDB collection and GENCODE vM1

Usage

```
data("Msig_GENCODE_df_mm_vM1")
```

Format

A data frame.

Value

A data frame.

References

Harrow J, et al. (2012) GENCODE: The reference human genome annotation for The ENCODE Project. Subramanian, Tamayo, et al. (2005, PNAS 102, 15545-15550).

Examples

```
data(Msig_GENCODE_df_mm_vM1)
head(Msig_GENCODE_df_mm_vM1)
```

`Msig_GENCODE_df_mm_vM25`*intersection genes of MSigDB collection and GENCODE vM25*

Description

intersection genes of MSigDB collection and GENCODE vM25 simply by gene symbol match

Usage

```
data("Msig_GENCODE_df_mm_vM25")
```

Format

A data frame.

Value

A data frame.

References

Harrow J, et al. (2012) GENCODE: The reference human genome annotation for The ENCODE Project. Subramanian, Tamayo, et al. (2005, PNAS 102, 15545-15550).

Examples

```
data(Msig_GENCODE_df_mm_vM25)
head(Msig_GENCODE_df)
```

Index

* datasets

- [dat_gene2path_chip, 2](#)
- [dat_gene2path_RNA, 3](#)
- [dat_seq2pathway_GOterms, 3](#)
- [dat_seq2pathway_Msig, 4](#)
- [Des_BP_list, 4](#)
- [Des_CC_list, 5](#)
- [Des_MF_list, 6](#)
- [gencode_coding, 6](#)
- [gene_description, 7](#)
- [GO_BP_list, 8](#)
- [GO_CC_list, 8](#)
- [GO_GENCODE_df_hg_v19, 9](#)
- [GO_GENCODE_df_hg_v36, 10](#)
- [GO_GENCODE_df_mm_vM1, 10](#)
- [GO_GENCODE_df_mm_vM25, 11](#)
- [GO_MF_list, 12](#)
- [Msig_GENCODE_df_hg_v19, 13](#)
- [Msig_GENCODE_df_hg_v36, 13](#)
- [Msig_GENCODE_df_mm_vM1, 14](#)
- [Msig_GENCODE_df_mm_vM25, 15](#)
- [MsigDB_C5, 12](#)

- [dat_gene2path_chip, 2](#)
- [dat_gene2path_RNA, 3](#)
- [dat_seq2pathway_GOterms, 3](#)
- [dat_seq2pathway_Msig, 4](#)
- [Des_BP_list, 4](#)
- [Des_CC_list, 5](#)
- [Des_MF_list, 6](#)

- [gencode_coding, 6](#)
- [gene_description, 7](#)
- [GO_BP_list, 8](#)
- [GO_CC_list, 8](#)
- [GO_GENCODE_df_hg_v19, 9](#)
- [GO_GENCODE_df_hg_v36, 10](#)
- [GO_GENCODE_df_mm_vM1, 10](#)
- [GO_GENCODE_df_mm_vM25, 11](#)
- [GO_MF_list, 12](#)

- [Msig_GENCODE_df_hg_v19, 13](#)
- [Msig_GENCODE_df_hg_v36, 13](#)
- [Msig_GENCODE_df_mm_vM1, 14](#)
- [Msig_GENCODE_df_mm_vM25, 15](#)
- [MsigDB_C5, 12](#)