

# Package ‘Cepo’

June 6, 2023

**Title** Cepo for the identification of differentially stable genes

**Version** 1.6.0

## Description

Defining the identity of a cell is fundamental to understand the heterogeneity of cells to various environmental signals and perturbations. We present Cepo, a new method to explore cell identities from single-cell RNA-sequencing data using differential stability as a new metric to define cell identity genes. Cepo computes cell-type specific gene statistics pertaining to differential stable gene expression.

**License** MIT + file LICENSE

**Encoding** UTF-8

**LazyData** false

**Roxygen** list(markdown = TRUE)

**RoxygenNote** 7.1.1.9001

**Imports** DelayedMatrixStats, DelayedArray, HDF5Array, S4Vectors, methods, SingleCellExperiment, SummarizedExperiment, ggplot2, rlang, grDevices, patchwork, reshape2, BiocParallel, stats, dplyr

**biocViews** Classification, GeneExpression, SingleCell, Software, Sequencing, DifferentialExpression

**Suggests** knitr, rmarkdown, BiocStyle, testthat, covr, UpSetR, scater, scMerge, fgsea, escape, pheatmap, patchwork

**VignetteBuilder** knitr

**Depends** GSEABase, R (>= 4.1)

**git\_url** <https://git.bioconductor.org/packages/Cepo>

**git\_branch** RELEASE\_3\_17

**git\_last\_commit** 7588d12

**git\_last\_commit\_date** 2023-04-25

**Date/Publication** 2023-06-06

**Author** Hani Jieun Kim [aut, cre] (<<https://orcid.org/0000-0003-1844-3275>>), Kevin Wang [aut] (<<https://orcid.org/0000-0003-2615-6102>>)

**Maintainer** Hani Jieun Kim <hani.kim127@gmail.com>

R topics documented:

|                          |          |
|--------------------------|----------|
| cellbench . . . . .      | 2        |
| Cepo . . . . .           | 2        |
| plotDensities . . . . .  | 4        |
| sce_pancreas . . . . .   | 6        |
| setCepoBPPARAM . . . . . | 6        |
| topGenes . . . . .       | 7        |
| <b>Index</b>             | <b>8</b> |

---

|           |                  |
|-----------|------------------|
| cellbench | <i>cellbench</i> |
|-----------|------------------|

---

Description

A single-cell RNA-seq dataset adapted from [sc\\_mixology](#)

Usage

```
data(cellbench)
```

Format

An object of SingleCellExperiment class with 895 cells and 2001 genes.

Source

[https://github.com/LuyiTian/sc\\_mixology](https://github.com/LuyiTian/sc_mixology)

---

|      |                                           |
|------|-------------------------------------------|
| Cepo | <i>Computing Cepo cell identity genes</i> |
|------|-------------------------------------------|

---

Description

ExprsMat accepts various matrix objects, including DelayedArray and HDF5Array for out-of-memory computations. See vignette.

**Usage**

```
Cepo(
  exprsMat,
  cellTypes,
  minCells = 20,
  minCelltype = 3,
  exprsPct = NULL,
  prefilter_sd = NULL,
  prefilter_pzero = NULL,
  logfc = NULL,
  computePvalue = NULL,
  computeFastPvalue = TRUE,
  variability = "CV",
  method = "weightedMean",
  weight = c(0.5, 0.5),
  workers = 1L,
  block = NULL,
  ...
)
```

**Arguments**

|                                |                                                                                                                                                                                                                                                        |
|--------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>exprsMat</code>          | Expression matrix where columns denote cells and rows denote genes                                                                                                                                                                                     |
| <code>cellTypes</code>         | Vector of cell type labels                                                                                                                                                                                                                             |
| <code>minCells</code>          | Integer indicating the minimum number of cells required within a cell type                                                                                                                                                                             |
| <code>minCelltype</code>       | Integer indicating the minimum number of cell types required in each batch                                                                                                                                                                             |
| <code>exprsPct</code>          | Percentage of lowly expressed genes to remove. Default to NULL to not remove any genes.                                                                                                                                                                |
| <code>prefilter_sd</code>      | Numeric value indicating threshold relating to standard deviation of genes. Used with <code>prefilter_zeros</code> .                                                                                                                                   |
| <code>logfc</code>             | Numeric value indicating the threshold of log fold-change to use to filter genes.                                                                                                                                                                      |
| <code>computePvalue</code>     | Whether to compute p-values using bootstrap test. Default to NULL to not make computations. Set this to an integer to set the number of bootstraps needed (recommend to be at least 100).                                                              |
| <code>computeFastPvalue</code> | Logical vector indicating whether to perform a faster version of p-value calculation. Set to TRUE by default.                                                                                                                                          |
| <code>variability</code>       | A character indicating the stability measure (CV, IQR, MAD, SD). Default is set to CV.                                                                                                                                                                 |
| <code>method</code>            | Character indicating the method for integration the two stability measures. By default this is set to 'weightedMean' with equal weights.                                                                                                               |
| <code>weight</code>            | Vector of two values indicating the weights for each stability measure. By default this value is <code>c(0.5, 0.5)</code> .                                                                                                                            |
| <code>workers</code>           | Number of cores to use. Default to 1, which invokes <code>BiocParallel::SerialParam</code> . For workers greater than 1, see the <code>workers</code> argument in <code>BiocParallel::MulticoreParam</code> and <code>BiocParallel::SnowParam</code> . |

block                    Vector of batch labels

...                      Additional arguments passed to BiocParallel::MulticoreParam and BiocParallel::SnowParam.

prefilter\_pzeros        Numeric value indicating threshold relating to the percentage of zero expression of genes. Used with prefilter\_sd.

**Value**

Returns a list of key genes.

**Examples**

```
library(SingleCellExperiment)
data('cellbench', package = 'Cepo')
cellbench
cepoOutput <- Cepo(logcounts(cellbench), cellbench$celltype)
cepoOutput
```

---

|               |                       |
|---------------|-----------------------|
| plotDensities | <i>Plot densities</i> |
|---------------|-----------------------|

---

**Description**

Plot densities

**Usage**

```
plotDensities(
  x,
  cepoOutput,
  nGenes = 2,
  assay = "logcounts",
  celltypeColumn,
  celltype = NULL,
  genes = NULL,
  plotType = c("histogram", "density"),
  color = NULL
)
```

**Arguments**

x                      a [SummarizedExperiment](#) or a [SingleCellExperiment](#) object.

cepoOutput            an output from Cepo or doLimma/doVoom/doTtest/doWilcoxon functions

nGenes                number of top genes from each celltype to plot. Default to 2.

|                |                                                                                                                                                                                                                                                          |
|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| assay          | a character ('logcounts' by default), indicating the name of the assays(x) element which stores the expression data (i.e., assays(x)\$name_assays_expression). We strongly encourage using normalized data, such as counts per million (CPM) or log-CPM. |
| celltypeColumn | a character, indicating the name of the name of the cell type column in the col-Data(x).                                                                                                                                                                 |
| celltype       | a character, indicating the name of the cell type to plot. Default is NULL which selects all celltypes in the cepoOutput.                                                                                                                                |
| genes          | a character vector, indicating the name of the genes to plot. Default to NULL, so that 2 top genes from each celltype will be plotted.                                                                                                                   |
| plotType       | Either 'histogram' or 'density'                                                                                                                                                                                                                          |
| color          | a named color vector. The names should correspond to the celltype argument above                                                                                                                                                                         |

### Value

A [ggplot](#) object with cell-type specific densities for a gene.

A [ggplot](#) object.

### Examples

```
library(SingleCellExperiment)
data('cellbench', package = 'Cepo')
cellbench
cepoOutput <- Cepo(logcounts(cellbench), cellbench$celltype)

plotDensities(
  x = cellbench,
  cepoOutput = cepoOutput,
  assay = 'logcounts',
  plotType = 'histogram',
  celltypeColumn = 'celltype'
)

plotDensities(
  x = cellbench,
  cepoOutput = cepoOutput,
  genes = c('PLTP', 'CPT1C', 'MEG3', 'SYCE1', 'MICOS10P3', 'HOXB7'),
  assay = 'logcounts',
  plotType = 'histogram',
  celltypeColumn = 'celltype'
)
```

---

|              |                     |
|--------------|---------------------|
| sce_pancreas | <i>sce_pancreas</i> |
|--------------|---------------------|

---

**Description**

A subsampled single-cell RNA-seq dataset

**Usage**

data(sce\_pancreas)

**Format**

An object of SingleCellExperiment class with 528 cells and 1358 genes.

---

|                |                                                            |
|----------------|------------------------------------------------------------|
| setCepoBPPARAM | <i>Setting parallel params based on operating platform</i> |
|----------------|------------------------------------------------------------|

---

**Description**

Setting parallel params based on operating platform

**Usage**

setCepoBPPARAM(workers = 1L, ...)

**Arguments**

- |         |                                                                                                                                                                                                  |
|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| workers | Number of cores to use. Default to 1, which invokes BiocParallel::SerialParam. For workers greater than 1, see the workers argument in BiocParallel::MulticoreParam and BiocParallel::SnowParam. |
| ...     | Additional arguments passed to BiocParallel::MulticoreParam and BiocParallel::SnowParam.                                                                                                         |

**Value**

Parameters for parallel computing depending on OS

**Examples**

```
# system.time(BiocParallel::bplapply(1:3, FUN = function(i){Sys.sleep(i)},
# BPPARAM = setCepoBPPARAM(workers = 1)))
# system.time(BiocParallel::bplapply(1:3, FUN = function(i){Sys.sleep(i)},
# BPPARAM = setCepoBPPARAM(workers = 3)))
```

---

|          |                                                   |
|----------|---------------------------------------------------|
| topGenes | <i>Extract the top genes from the Cepo output</i> |
|----------|---------------------------------------------------|

---

**Description**

Extract the top genes from the Cepo output

**Usage**

```
topGenes(object, n = 5, returnValues = FALSE)
```

**Arguments**

|              |                                                                            |
|--------------|----------------------------------------------------------------------------|
| object       | Output from the Cepo function                                              |
| n            | Number of top genes to extract                                             |
| returnValues | Whether to return the numeric value associated with the top selected genes |

**Value**

Returns a list of key genes.

**Examples**

```
set.seed(1234)
n <- 50 ## genes, rows
p <- 100 ## cells, cols
exprsMat <- matrix(rpois(n * p, lambda = 5), nrow = n)
rownames(exprsMat) <- paste0('gene', 1:n)
colnames(exprsMat) <- paste0('cell', 1:p)
cellTypes <- sample(letters[1:3], size = p, replace = TRUE)
cepo_output <- Cepo(exprsMat = exprsMat, cellTypes = cellTypes)
cepo_output
topGenes(cepo_output, n = 2)
topGenes(cepo_output, n = 2, returnValues = TRUE)
```

# Index

## \* **datasets**

cellbench, [2](#)

sce\_pancreas, [6](#)

cellbench, [2](#)

Cepo, [2](#)

ggplot, [5](#)

plotDensities, [4](#)

sce\_pancreas, [6](#)

setCepoBPPARAM, [6](#)

SingleCellExperiment, [4](#)

SummarizedExperiment, [4](#)

topGenes, [7](#)