

# Package ‘HighlyReplicatedRNASeq’

June 1, 2023

**Type** Package

**Title** Collection of Bulk RNA-Seq Experiments With Many Replicates

**Version** 1.12.0

**Description** Gene-level count matrix data for bulk RNA-seq dataset with many replicates. The data are provided as easy to use SummarizedExperiment objects. The source data that is made accessible through this package comes from <https://github.com/bartongroup/profDGE48>.

**URL** <https://github.com/const-ae/HighlyReplicatedRNASeq>

**BugReports** <https://github.com/const-ae/HighlyReplicatedRNASeq/issues>

**License** MIT + file LICENSE

**Encoding** UTF-8

**Depends** SummarizedExperiment, ExperimentHub

**Imports** S4Vectors

**Suggests** BiocStyle, BiocFileCache, knitr, rmarkdown

**biocViews** ExperimentHub, ExperimentData, ExpressionData,  
SequencingData, RNASeqData

**RoxygenNote** 7.1.0

**Roxygen** list(markdown = TRUE)

**VignetteBuilder** knitr

**git\_url** <https://git.bioconductor.org/packages/HighlyReplicatedRNASeq>

**git\_branch** RELEASE\_3\_17

**git\_last\_commit** 25732d9

**git\_last\_commit\_date** 2023-04-25

**Date/Publication** 2023-06-01

**Author** Constantin Ahlmann-Eltze [aut, cre]  
(<<https://orcid.org/0000-0002-3762-068X>>)

**Maintainer** Constantin Ahlmann-Eltze <[artjom31415@googlemail.com](mailto:artjom31415@googlemail.com)>

## R topics documented:

HighlyReplicatedRNASeq	2
Schurch16	2

Index	4
-------	---

---

### HighlyReplicatedRNASeq

*HighlyReplicatedRNASeq: Collection of Bulk RNA-Seq Experiments With Many Replicates*

---

#### Description

The HighlyReplicatedRNASeq package provides access to the count matrix results from studies with many replicates. These datasets can be valuable for benchmarking tools designed to handle RNA-seq data.

#### Details

Available datasets:

- Schurch et al. (2016): 86 samples of *S. cerevisiae* in two conditions
  - `Schurch16()` / `Schurch16_metadata()`

At the moment, this package contains only one dataset, but more datasets can be added in the future.

---

### Schurch16

*Get the RNA-seq counts from Schurch et al. (2016)*

---

#### Description

The data contains bulk RNA-seq count on 86 samples in two conditions. The first condition is wild type *S. cerevisiae* (taxonomic id: 1247190). The second condition is the same strain with a snf2 knockout.

#### Usage

```
Schurch16(hub = ExperimentHub())
Schurch16_metadata(hub = ExperimentHub())
```

#### Arguments

hub	an <code>ExperimentHub</code> object that is used to load the resource "EH3315" and "EH3316". Default: <code>ExperimentHub()</code>
-----	--

## Details

Schurch et al. originally generated this dataset to benchmark RNA-seq differential expression tools and find out how many replicates are necessary to detect most differentially expressed genes. The data that is returned by this package comes from the GitHub [repository](#) that accompanied the study.

## Value

`Schurch16()` returns a [SummarizedExperiment](#) with 7126 genes and 86 samples.

`Schurch16_metadata()` returns a [ExperimentHub](#) object with the metadata on the Schurch16 dataset.

## Author(s)

Constantin Ahlmann-Eltze

## References

Schurch, N. J., Schofield, P., Gierliński, M., Cole, C., Sherstnev, A., Singh, V., ... Barton, G. J. (2016). How many biological replicates are needed in an RNA-seq experiment and which differential expression tool should you use? *RNA*, 22(6), 839–851. <https://doi.org/10.1261/rna.053959.115>

## Examples

```
Schurch16_metadata()  
  
se <- Schurch16()  
  
dim(se)  
colData(se)  
summary(c(assay(se, "counts")))
```

# Index

ExperimentHub, [2](#), [3](#)

ExperimentHub(), [2](#)

HighlyReplicatedRNASeq, [2](#)

Schurch16, [2](#)

Schurch16(), [2](#)

Schurch16\_metadata (Schurch16), [2](#)

Schurch16\_metadata(), [2](#)

SummarizedExperiment, [3](#)