

Package ‘SingleMoleculeFootprintingData’

June 1, 2023

Type Package

Title Data supporting the SingleMoleculeFootprinting pkg

Version 1.9.0

Description This Data package contains data objects relevant for the SingleMoleculeFootprinting package. More specifically, it contains one example of aligned sequencing data (.bam & .bai) necessary to run the SingleMoleculeFootprinting vignette. Additionally, we provide data that are essential for some functions to work correctly such as BaitCapture() and SampleCorrelation().

biocViews ExperimentHub, ExperimentData, SequencingData

License GPL-3

Encoding UTF-8

LazyData true

Imports ExperimentHub, utils

Suggests knitr, rmarkdown

VignetteBuilder knitr

RoxygenNote 7.1.1

git_url <https://git.bioconductor.org/packages/SingleMoleculeFootprintingData>

git_branch devel

git_last_commit fa514c7

git_last_commit_date 2023-04-25

Date/Publication 2023-06-01

Author Guido Barzaghi [aut, cre] (<<https://orcid.org/0000-0001-6066-3920>>),
Arnaud Krebs [aut] (<<https://orcid.org/0000-0001-7999-6127>>),
Mike Smith [ctb] (<<https://orcid.org/0000-0002-7800-3848>>)

Maintainer Guido Barzaghi <guido.barzaghi@embl.de>

R topics documented:

NRF1pair.bam 2

Index**3**

NRF1pair.bam	<i>SingleMoleculeFootprintingData</i>
--------------	---------------------------------------

Description

This Data package contains r objects necessary to run some of the functions from the SingleMoleculeFootprinting package. SingleMoleculeFootprinting is an R package providing functions to analyze Single Molecule Footprinting (SMF) data.

Usage

```
NRF1pair.bam(metadata = FALSE)
NRF1pair.bam.bai(metadata = FALSE)
EnrichmentRegions_mm10.rds(metadata = FALSE)
ReferenceMethylation.rds(metadata = FALSE)
AllCs.rds(metadata = FALSE)
```

Arguments

metadata	FALSE (default) returns data. TRUE returns metadata
----------	---

Value

Returns respectively: NRF1pair.bam - Bam file containing reads covering example NRF1 pair binding locus used for SingleMoleculeFootprinting vignette. NRF1pair.bam.bai - Bam index file to Bam file used as example data in SingleMoleculeFootprinting vignette EnrichmentRegions_mm10.rds - GRanges obj of mouse genomic regions enriched for SMF signal in genome-wide capture experiments. Can be used to compute bait capture efficiency ReferenceMethylation.rds - Reference matrix of genome-wide bulk SMF values for published experiments in mouse cell lines AllCs.rds - GRanges obj referencing the genomic context cytosines for mm10

Examples

```
NRF1pair.bam(metadata = TRUE)
NRF1pair.bam.bai(metadata = TRUE)
EnrichmentRegions_mm10.rds(metadata = TRUE)
ReferenceMethylation.rds(metadata = TRUE)
AllCs.rds(metadata = TRUE)
```

Index

AllCs.rds (NRF1pair.bam), [2](#)

EnrichmentRegions_mm10.rds
(NRF1pair.bam), [2](#)

NRF1pair.bam, [2](#)

ReferenceMethylation.rds
(NRF1pair.bam), [2](#)